

Oregon Medical Group Infusion Center 1007 Harlow Road Springfield, Oregon 97477 Phone: (541) 741-0387

Fax: (541) 242-4634

Reclast (Zoledronic Acid) Order

Name:		DOB:	
Diagnosis:		ICD-10 Code:	
	Check Appropriate Diagnosis		
Senile Osteoporosis (post	Senile Osteoporosis (postmenopausal women/men) ICD9 733.01+ ICD10 M81.0		
Glucocorticoid induced os	steoporosis ICD9 733.09 + ICD10 M81.8	8	
	use both codes for senile osteoporosis		
Pathological Fracture: Ne	ck of Femur		
Pathological Fracture: oth	er specified part of Femur		
Fracture due to injury: Ne			
Prevention of Glucocortic	Prevention of Glucocorticoid induced osteoporosis (primary diagnosis code + Z79.52)		
☐ What is the diseas	se process being treated by Glucocortic	coids?	
	CD9 731.0 + ICD10 M88.872		
	Other: (please include ICD-10 code)		
	current (within 90 days) CMP with a Cr s within normal range or the Infusion C		
reatinine Clearance is:	Calculated by:	Date:	
a. Slow or stop infub. Diphenhydramine	tion (itching, hives, low back pain, joint sion. e (Benadryl) 25mg in 9 mL saline slow I		
	ues, give Solu-Medrol 40mg IV push no	ow and repeat before every	
infusion. 7. Encourage patient increa	se fluids for next 48 hours. Continue ca	alcium and vitamin supplements	
rovider Signature:		Date:	
rovider's Printed Name:		Time:	
	ach most recent labs, DEXA scan, and doc		